

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Thumb complete sequence, 68408 bp, circularly permuted, Cluster H1
Analysis Date : 11/19/17 at 19:02:27
Pages : 34
Sequence Length : 68408 bp
GC Content : 57.50%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


Matrix notes & comments


Training set derived by GeneMarkS, 4.30 October 2014
Sun Nov 19 19:02:27 2017


MATRIX INFORMATION

Matrix : -
Author : -
Order : 4

Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230











typical.ps


atypical.ps


























typical.ps

atypical.ps










typical.ps

atypical.ps









typical.ps


atypical.ps





typical.ps


atypical.ps















typical.ps


atypical.ps













typical.ps


atypical.ps



typical.ps


atypical.ps





typical.ps

atypical.ps



typical.ps

Nucleotide Position

atypical.ps