

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage PinheadLarry complete sequence, 68390 bp, circularly permuted, Cluster
Analysis Date : 5/23/18 at 7:07:19
Pages : 34
Sequence Length : 68390 bp
GC Content : 66.44%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


MATRIX INFORMATION


Matrix : -
Author : -
Order : 4


Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230

Matrix notes & comments

Training set derived by GeneMarkS, 4.30 October 2014
Wed May 23 07:07:19 2018









typical.ps


atypical.ps





typical.ps


atypical.ps














typical.ps


Nucleotide Position


atypical.ps


















typical.ps

atypical.ps













typical.ps


atypical.ps













typical.ps

atypical.ps




typical.ps

atypical.ps




typical.ps

atypical.ps




typical.ps

atypical.ps




typical.ps

atypical.ps



typical.ps

atypical.ps



typical.ps

atypical.ps

