

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Beaglebox complete sequence, 68418 bp, circularly permuted, Cluster B1
Analysis Date : 7/16/18 at 11:51:40
Pages : 34
Sequence Length : 68418 bp
GC Content : 66.53%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


MATRIX INFORMATION


Matrix : -
Author : -
Order : 4

Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230

Matrix notes & comments


Training set derived by GeneMarkS, 4.30 October 2014
Mon Jul 16 11:51:40 2018







typical.ps

atypical.ps









typical.ps


atypical.ps






typical.ps


atypical.ps



typical.ps


atypical.ps






typical.ps


atypical.ps





typical.ps

atypical.ps











typical.ps


atypical.ps






typical.ps

atypical.ps








typical.ps

Nucleotide Position

atypical.ps









typical.ps

atypical.ps




typical.ps


atypical.ps



typical.ps

atypical.ps







typical.ps

Nucleotide Position


atypical.ps






typical.ps


atypical.ps





typical.ps

atypical.ps



typical.ps

atypical.ps

