

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Isca complete sequence, 49968 bp including 10-base 3' overhang (CGGCCG
Analysis Date : 7/16/18 at 11:55:37
Pages : 25
Sequence Length : 49968 bp
GC Content : 64.18%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


Matrix notes & comments


For details on the model building procedure see:
Besemer J. and Borodovsky M.
"Heuristic approach to deriving models for gene finding"
NAR, 1999, Vol. 27, No. 19, pp. 3911-3920


MATRIX INFORMATION


Matrix : Heuristic, GC = 64
Author : Borodovsky Laboratory - Georgia Tech
Order : 2


Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230























██████████


GeneMark.hmm prediction




GeneMark.hmm prediction










GeneMark.hmm prediction




GeneMark.hmm prediction













GeneMark.hmm prediction




GeneMark.hmm prediction










GeneMark.hmm prediction



Nucleotide Position

GeneMark.hmm prediction

