

# GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

## PROGRAM INFORMATION

Sequence : Mycobacterium phage Wander complete sequence, 51366 bp including 10-base 3' overhang (CGCC  
Analysis Date : 7/16/18 at 12:09:27  
Pages : 26  
Sequence Length : 51366 bp  
GC Content : 63.93%

Window Length : 96 bp  
Window Step : 12 bp  
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,  
Mark ORFs / splice sites,  
List ORFs,  
List regions and/or splice sites,


## Matrix notes & comments


Training set derived by GeneMarkS, 4.30 October 2014  
Mon Jul 16 12:09:27 2018


## MATRIX INFORMATION


Matrix : -  
Author : -  
Order : 4


Send questions / comments to:  
Dr. M. Borodovsky  
Georgia Institute of Technology  
School of Biology  
Atlanta, GA 30332-0230
































typical.ps


atypical.ps


complete sequence, 51366 bp including 10-base 3' overhang (CGGCCGGTAA), Cluster A4, Order 4, Window 96, Step 12, 13/26  
complete sequence, 51366 bp including 10-base 3' overhang (CGGCCGGTAA), Cluster A4, Order 2, Window 96, Step 12, 13/26




typical.ps

atypical.ps









typical.ps

atypical.ps










typical.ps

atypical.ps









typical.ps

atypical.ps




typical.ps

atypical.ps



typical.ps

atypical.ps



typical.ps

atypical.ps



