

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Xavier complete sequence, 68493 bp, circularly permuted, Cluster B1
Analysis Date : 7/16/18 at 12:21:23
Pages : 34
Sequence Length : 68493 bp
GC Content : 66.43%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


Matrix notes & comments

Training set derived by GeneMarkS, 4.30 October 2014
Mon Jul 16 12:21:23 2018

MATRIX INFORMATION


Matrix : -
Author : -
Order : 4


Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230



typical.ps


atypical.ps






typical.ps


atypical.ps




typical.ps

atypical.ps











typical.ps


atypical.ps



















typical.ps


atypical.ps







typical.ps

atypical.ps











typical.ps


atypical.ps













typical.ps

atypical.ps




typical.ps


atypical.ps




typical.ps

atypical.ps









typical.ps


atypical.ps




typical.ps

atypical.ps







typical.ps

atypical.ps