

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Matalotodo complete sequence, 69323 bp, circularly permuted, Cluster B1
Analysis Date : 7/18/18 at 21:42:49
Pages : 34
Sequence Length : 69323 bp
GC Content : 66.45%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


MATRIX INFORMATION

Matrix : -
Author : -
Order : 4

Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230


Matrix notes & comments


Training set derived by GeneMarkS, 4.30 October 2014
Wed Jul 18 21:42:49 2018





typical.ps

atypical.ps











typical.ps


atypical.ps






typical.ps


atypical.ps





typical.ps


atypical.ps















typical.ps


atypical.ps















typical.ps


Nucleotide Position


atypical.ps



typical.ps


atypical.ps






typical.ps


atypical.ps








typical.ps


atypical.ps













typical.ps

atypical.ps





typical.ps

atypical.ps

