

GeneMark

Version 2.5p (09.08.06)

Copyright 1993 - M. Borodovsky, J. McIninch

PROGRAM INFORMATION

Sequence : Mycobacterium phage Loadrie complete sequence, 76492 bp including 10-base 3' overhang (TCGA)
Analysis Date : 2/8/23 at 5:39:55
Pages : 38
Sequence Length : 76492 bp
GC Content : 58.95%

Window Length : 96 bp
Window Step : 12 bp
Threshold Value : 0.500

PS-Version : 1.2

GeneMark Options : PostScript graph,
Mark ORFs / splice sites,
List ORFs,
List regions and/or splice sites,


Matrix notes & comments

Training set derived by GeneMarkS, 4.27 September 2014
Tue Sep 23 15:23:03 2014


MATRIX INFORMATION


Matrix : Mycobacterium_smegmatis_MC2_155
Author : -
Order : 4


Send questions / comments to:
Dr. M. Borodovsky
Georgia Institute of Technology
School of Biology
Atlanta, GA 30332-0230




ie complete sequence, 76492 bp including 10-base 3' overhang (TCGATCAGCC), Cluster L2, Order 4, Window 96, Step 12, 3/38














ie complete sequence, 76492 bp including 10-base 3' overhang (TCGATCAGCC), Cluster L2, Order 4, Window 96, Step 12, 7/38


























the complete sequence, 76492 bp including 10-base 3' overhang (TCGATCAGCC), Cluster L2, Order 4, Window 96, Step 12, 17/38

